

Richard Katz, M.D.  
Morton Schneider, M.D.  
Steven Albert, M.D.  
Alison Bender Haimes, M.D.  
Stephen D. Greenberg, M.D.  
Douglas R. DeCorato, M.D.  
Gavin L. Duke, M.D.



Barbara H. Braffman, M.D.  
Robert Ludwig, M.D.  
Paul Choi, M.D.  
Sean Herman, M.D.  
Clyde Hershan, M.D.  
Gwen Harris, M.D.

---

519 & 523 East 72nd Street • New York, NY 10021 • 430 East 59th Street, Sutton Place • New York, NY 10022  
Tel: 212-288-1575 • Fax: 212-288-7616 • [www.eastriverimaging.com](http://www.eastriverimaging.com)

## **POST PROCEDURE INSTRUCTIONS:**

**BARIUM STUDY:** Following a barium study it is recommended that you take 3 tablespoons of Milk of Magnesia the evening of your exam or at bedtime. It is also recommended that you increase your daily fluid intake.

If you do not have a bowel movement within 24 hours repeat the dose and please contact our office.

**I. V. PYELOGRAM (IVP):** Following your IVP it is recommended that you increase your fluid intake by 4-8 glasses on the day of your examination.

**CONTRAST CT:** Following your CT scan it is recommended that you increase your fluid intake by 4 glasses on the day of your examination. You may have watery bowel movements for 24 hours.